



# UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE  
United States Patent and Trademark Office  
Address: COMMISSIONER FOR PATENTS  
P.O. Box 1450  
Alexandria, Virginia 22313-1450  
www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
09/909,037	07/19/2001	Dennis L. Matthies	INTL-0569-US (P11414)	8472
7590	10/29/2003			
Timothy N. Trop TROP, PRUNER & HU, P.C. STE 100 8554 KATY FWY HOUSTON, TX 77024-1805			EXAMINER AMINI, JAVID A	
			ART UNIT 2672	PAPER NUMBER
			DATE MAILED: 10/29/2003 4	

Please find below and/or attached an Office communication concerning this application or proceeding.

# Office Action Summary

Application No.

09/909,037

Applicant(s)

MATTHIES, DENNIS L.

Examiner

Javid A Amini

Art Unit

2672

-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address --

## Period for Reply

A SHORTENED STATUTORY PERIOD FOR REPLY IS SET TO EXPIRE 3 MONTH(S) FROM THE MAILING DATE OF THIS COMMUNICATION.

- Extensions of time may be available under the provisions of 37 CFR 1.136(a). In no event, however, may a reply be timely filed after SIX (6) MONTHS from the mailing date of this communication.
- If the period for reply specified above is less than thirty (30) days, a reply within the statutory minimum of thirty (30) days will be considered timely.
- If NO period for reply is specified above, the maximum statutory period will apply and will expire SIX (6) MONTHS from the mailing date of this communication.
- Failure to reply within the set or extended period for reply will, by statute, cause the application to become ABANDONED (35 U.S.C. § 133).
- Any reply received by the Office later than three months after the mailing date of this communication, even if timely filed, may reduce any earned patent term adjustment. See 37 CFR 1.704(b).

## Status

- 1) ☐ Responsive to communication(s) filed on \_\_\_\_.
- 2a) ☒ This action is **FINAL**. 2b) ☐ This action is non-final.
- 3) ☐ Since this application is in condition for allowance except for formal matters, prosecution as to the merits is closed in accordance with the practice under *Ex parte Quayle*, 1935 C.D. 11, 453 O.G. 213.

## Disposition of Claims

- 4) ☒ Claim(s) 1-32 is/are pending in the application.
- 4a) Of the above claim(s) \_\_\_\_ is/are withdrawn from consideration.
- 5) ☐ Claim(s) \_\_\_\_ is/are allowed.
- 6) ☒ Claim(s) 1-7, 9-17, 19-32 is/are rejected.
- 7) ☐ Claim(s) \_\_\_\_ is/are objected to.
- 8) ☐ Claim(s) \_\_\_\_ are subject to restriction and/or election requirement.

## Application Papers

- 9) ☐ The specification is objected to by the Examiner.
- 10) ☐ The drawing(s) filed on \_\_\_\_ is/are: a) ☐ accepted or b) ☐ objected to by the Examiner.
- Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a).
- 11) ☐ The proposed drawing correction filed on \_\_\_\_ is: a) ☐ approved b) ☐ disapproved by the Examiner.
- If approved, corrected drawings are required in reply to this Office action.
- 12) ☐ The oath or declaration is objected to by the Examiner.

## Priority under 35 U.S.C. §§ 119 and 120

- 13) ☐ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).
- a) ☐ All b) ☐ Some \* c) ☐ None of:
1. ☐ Certified copies of the priority documents have been received.
2. ☐ Certified copies of the priority documents have been received in Application No. \_\_\_\_.
3. ☐ Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)).
- \* See the attached detailed Office action for a list of the certified copies not received.
- 14) ☐ Acknowledgment is made of a claim for domestic priority under 35 U.S.C. § 119(e) (to a provisional application).
- a) ☐ The translation of the foreign language provisional application has been received.
- 15) ☐ Acknowledgment is made of a claim for domestic priority under 35 U.S.C. §§ 120 and/or 121.

## Attachment(s)

- 1) ☐ Notice of References Cited (PTO-892)
- 2) ☐ Notice of Draftsperson's Patent Drawing Review (PTO-948)
- 3) ☐ Information Disclosure Statement(s) (PTO-1449) Paper No(s) \_\_\_\_.
- 4) ☐ Interview Summary (PTO-413) Paper No(s). \_\_\_\_.
- 5) ☐ Notice of Informal Patent Application (PTO-152)
- 6) ☐ Other: \_\_\_\_\_.

***Response to Arguments***

Applicant's arguments filed August 11, 2003 have been fully considered but they are not persuasive.

Response to remarks, on page 6 lines 1-6: Applicant argues that the reference Mazurek does not teach alignment tabs and grooves. Examiner's reply: Mazurek in col. 3, lines 56-67; col. 4, lines 1-6 discloses that the global black mask further provides an alignment grid for alignment of each one of the display modules.

Response to remarks, on page 6 lines 7-13: Applicant argues that the reference Mazurek does not teach separation of a signal that arrives at the module. Examiner's reply: Mazurek in Fig. 23 illustrates controllable potentiometers 1850 are connected to a power supply 1860, and a negative voltage input 1870 of each of the respective display modules 100 by individual power lines represented by a line 1880.

Response to remarks, on page 6 lines 14-18: Applicant argues that Mazurek does not teach a module that secures to a second structural plate. Examiner's reply: Mazurek in col. 7, lines 14-41; col. 8, lines 52-65 teaches the housing 80 is secured to the rear plate 350. In addition, optional cooling fans (not shown) may be positioned on at least one side of the housing 80 to force air through the modules 100 to maintain relatively cool operating temperatures.

Response to remarks, on page 6 lines 19-23: Applicant argues that Mazurek does not teach a plurality of tiles arranged in an array with gaps between the tiles. And shows no surface features of any type. Examiner's reply: Mazurek in col. 15 lines 19-36 teaches the gap between the tiles and to achieve the seamless appearance.

Response to remarks, on page 6-7 lines 24-30 and 1-12: Applicant requests to reconsider the rejection of 35 USC 112 first paragraph. Examiner's reply: Applicant needs to add more explanation in the specification on pages 7 and 8, lines 9-19 and line 11 and Figs. 8 and 9, in order to overcome this rejection.

***Claim Rejections - 35 USC § 102***

The following is a quotation of the appropriate paragraphs of 35 U.S.C. 102 that form the basis for the rejections under this section made in this Office action:

A person shall be entitled to a patent unless –

(b) the invention was patented or described in a printed publication in this or a foreign country or in public use or on sale in this country, more than one year prior to the date of application for patent in the United States.

Claims 1-8 and 11-26 rejected under 35 U.S.C. 102(b) as being anticipated by Mazurek et al.

1. Claim 1.

“A large area display comprising: a first structural plate; and a first and second tile connectable to said plate, said tiles including image generating pixels, wherein one of said tiles includes alignment tabs and the other said tiles includes alignment grooves to align the first tile relative to the second tile.” Mazurek et al. teach in abstract A frame is connected to the base plate and surrounds the base plate and display modules. A global cover glass assembly disposed above the display modules encloses and protects the display modules. Included in each of the display modules is a light source configuration of a light box and a light box cover, which utilizes global light sources that provide efficient uniform backlighting of the corresponding display. The alignment devices permit alignment of the display modules with respect to each other and

Art Unit: 2672

to a global black mask disposed in the global cover glass assembly to achieve a display system that is seamless in appearance. Mazurek illustrates in Fig. 3, that Small adjustments of the display modules 100 in the vertical and horizontal directions can be made by the alignment devices 320 that secure each of the display modules 100 to the base plate 310 as shown in FIG. 3.

Claim 2.

“The display of claim 1 including a set of fasteners on said first and second tiles, said fasteners fastening said first and second tiles to said first structural plate”, Mazurek illustrates in Fig. 3, each one of the modules 100 is attached to a base plate 310 by respective module alignment devices 320.

2. Claim 3.

“The display of claim 2 wherein said fasteners include threaded pins, said plate including holes to receive said pins, said fasteners adjustably position said tiles relative to said plate”, Mazurek discloses in (col. 7, lines 14-41) that Screws 345 and 346 and springs 347 and 348 of the standoffs 342 and 344 force the global cover glass assembly 330 in contact with the display modules 100.

3. Claim 4.

“The display of claim 3 wherein the hole in said plate is of substantially greater diameter than the diameter of one of said pins”, Mazurek illustrates in Fig. 21, that the hole 1615 should have a substantially larger diameter than a diameter of the post 1610 and bushing 1630 so as not to impede horizontal and vertical movement of the post 1610 by the alignment device 320.

4. Claim 5.

Art Unit: 2672

“The display of claim 4 including a pair of locking nuts, one on each side of said plate”, Mazurek discloses in (col. 19, lines 54-63) that the screw cap 1752 is locked onto the portion of the screw 1750 that extends beyond the second outer retainer hole 1770 .

5. Claim 6.

“The display of claim 5 including at least two pins on each tile”, Mazurek illustrates in Fig. 21.

6. Claim 7.

“The display of claim 1 wherein each tile may be adjusted in a plane parallel to the plane of said plate and inwardly and outwardly with respect to said plane”, Mazurek discloses in (col. 12, lines 24-33) that horizontal edge regions 830 and 840 of the cover 425 extend in a parallel direction to the fluorescent lamp 470 and receive less light from the fluorescent light lamps 470 than other regions of the light box cover 425, such as a center region 850.

7. Claim 11.

“The display of claim 1 including a second structural plate and a plurality of tiles connected to a first and second structural plates, said first and second structural plates being adjustably securable to a third structural plate”, Mazurek illustrates in Fig. 3.

8. Claim 12.

“The display of claim 11 including a plurality of tiles connected to first and second structural plates and a plurality of first and second structural plates coupled to a third structural plate to form a large area display”, Mazurek illustrates in Fig. 3.

9. Claim 13.

“A method comprising: securing a plurality of tiles to a first structural plate to form a large area display; forming a module made up of a plurality of tiles coupled to said first structural plate;

Art Unit: 2672

providing a signal to said module for said plurality of tiles; and separating said signal into components to drive each of said tiles.” Mazurek et al. teach in abstract A frame is connected to the base plate and surrounds the base plate and display modules. A global cover glass assembly disposed above the display modules encloses and protects the display modules. Included in each of the display modules is a light source configuration of a light box and a light box cover, which utilizes global light sources that provide efficient uniform backlighting of the corresponding display. The alignment devices permit alignment of the display modules with respect to each other and to a global black mask disposed in the global cover glass assembly to achieve a display system that is seamless in appearance. Mazurek illustrates in Fig. 3, that Small adjustments of the display modules 100 in the vertical and horizontal directions can be made by the alignment devices 320 that secure each of the display modules 100 to the base plate 310 as shown in FIG. 3.

10. Claim 14.

“The method of claim 13 including adjustably mounting a plurality of tiles to a first structural plate and mounting a plurality of first structural plates to a second structural plate”, Mazurek illustrates in Fig. 3, each one of the modules 100 is attached to a base plate 310 by respective module alignment devices 320.

11. Claim 15.

“The method of claim 14 including adjustably mounting said first structural plate to said second structural plate”, Mazurek discloses in (col. 7, lines 14-41) that Screws 345 and 346 and springs 347 and 348 of the standoffs 342 and 344 force the global cover glass assembly 330 in contact with the display modules 100.

Art Unit: 2672

12. Claim 16.

“The method of claim 15 including providing alignment devices on each tile to position each tile relative to the other tile”, Mazurek discloses in (col. 19, lines 54-63) that the screw cap 1752 is locked onto the portion of the screw 1750 that extends beyond the second outer retainer hole 1770 . Mazurek discloses in (col. 7, lines 14-41) that Screws 345 and 346 and springs 347 and 348 of the standoffs 342 and 344 force the global cover glass assembly 330 in contact with the display modules 100.

13. Claim 17.

“The method of claim 13 including forming a module made up of a plurality of tiles coupled to a first structural plate and providing electrical signals to said module for each of said tiles”, Mazurek discloses in (col. 3, lines 45-55) that At least one thin electrical conductor connects electrical edge contacts of a corresponding thin seal display to the respective display driver circuit board.

14. Claim 19.

“The method of claim 13 including enabling said tiles to be coupled to said first structural member in the field”, Mazurek illustrates in Fig. 21.

15. Claim 20.

“A method comprising: securing a plurality of display tiles to a plurality of first structural plates to form modules; and securing a plurality of modules to a second structural plate to form a large area display”, Mazurek et al. teach in abstract A frame is connected to the base plate and surrounds the base plate and display modules. A global cover glass assembly disposed above the display modules encloses and protects the display modules. Included in each of the display



Art Unit: 2672

modules is a light source configuration of a light box and a light box cover, which utilizes global light sources that provide efficient uniform backlighting of the corresponding display. The alignment devices permit alignment of the display modules with respect to each other and to a global black mask disposed in the global cover glass assembly to achieve a display system that is seamless in appearance. Mazurek illustrates in Fig. 3, that Small adjustments of the display modules 100 in the vertical and horizontal directions can be made by the alignment devices 320 that secure each of the display modules 100 to the base plate 310 as shown in FIG. 3.

16. Claim 21.

“The method of claim 20 including adjustably securing said plurality of tiles to first structural plates”, Mazurek discloses in (col. 7, lines 14-41) that Screws 345 and 346 and springs 347 and 348 of the standoffs 342 and 344 force the global cover glass assembly 330 in contact with the display modules 100.

17. Claim 22.

“The method of claim 20 including adjustably securing said modules to said second structural plate”, Mazurek discloses in (col. 7, lines 14-41) that Screws 345 and 346 and springs 347 and 348 of the standoffs 342 and 344 force the global cover glass assembly 330 in contact with the display modules 100.

18. Claim 23.

“The method of claim 20 including threadedly fastening said tiles to said first structural plates”, Mazurek discloses in (col. 7, lines 14-41) that Screws 345 and 346 and springs 347 and 348 of the standoffs 342 and 344 force the global cover glass assembly 330 in contact with the display modules 100.

Art Unit: 2672

19. Claim 24.

“The method of claim 23 including threadedly fastening said modules to said second structural plate”, Mazurek discloses in (col. 7, lines 14-41) and Fig. 3, that Screws 345 and 346 and springs 347 and 348 of the standoffs 342 and 344 force the global cover glass assembly 330 in contact with the display modules 100.

20. Claim 25.

“The method of claim 20 including securing said tiles to said first structural plates so that the position of one tile may be adjusted relative to another tile in three dimensions”, Mazurek discloses in (col. 18, lines 39-58) that Small adjustments of the display modules 100 in the vertical and horizontal directions can be made by the alignment devices 320 that secure each of the display modules 100 to the base plate 310 as shown in FIG. 3. The alignment devices 320 further permit the realignment of the display modules 100 whose alignment may change over time and temperature as a function of the material characteristics of the base plate 310 to which the display modules 100 are attached as is shown in FIG. 3. However, the more stable the base plate 310 material, the less correction of the alignment due to time and temperature is required.

A suitable stable base plate material is mica-enhanced aluminum.

21. Claim 26.

“A large area display comprising: a plurality of tiles arranged in an array with gaps between adjacent tiles; and each of said tiles having a regular pattern of surface features defined in a surface of said tiles so as to camouflage the appearance of the gaps between adjacent tiles”, Mazurek et al. teach in abstract A frame is connected to the base plate and surrounds the base plate and display modules. A global cover glass assembly disposed above the display modules

Art Unit: 2672

encloses and protects the display modules. Included in each of the display modules is a light source configuration of a light box and a light box cover, which utilizes global light sources that provide efficient uniform backlighting of the corresponding display. The alignment devices permit alignment of the display modules with respect to each other and to a global black mask disposed in the global cover glass assembly to achieve a display system that is seamless in appearance. Mazurek illustrates in Fig. 3, that Small adjustments of the display modules 100 in the vertical and horizontal directions can be made by the alignment devices 320 that secure each of the display modules 100 to the base plate 310 as shown in FIG. 3.

***Claim Rejections - 35 USC § 103***

The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:

(a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negated by the manner in which the invention was made.

Claim 9 rejected under 35 U.S.C. 103(a) as being unpatentable over Mazurek et al. and further in view of Kitai.

22. Claim 9.

“The display of claim 1 including mullions to fit over the gaps between said first and second tiles”, Mazurek does not explicitly specify mullions, however Kitai discloses in (col. 2, lines 23-27) that provides an EL module, instead of mullion, which significantly reduces the gap between the light emitting display elements and the edge of the substrate thereby facilitating tiling of multiple EL modules.

Art Unit: 2672

Thus, it would have been obvious to one of ordinary skill in the art at the time the invention was made to incorporate the teaching of Kitai into Mazurek in order to improve light collection from the pixels, and more important part of this motivation is: this type of structure avoids the need for edge connections and edge sealing (see Kitai, col. 2, lines 4-12). Plastic lenses were bonded to the viewing side of substrate.

***Claim Rejections - 35 USC § 112***

The following is a quotation of the first paragraph of 35 U.S.C. 112:

The specification shall contain a written description of the invention, and of the manner and process of making and using it, in such full, clear, concise, and exact terms as to enable any person skilled in the art to which it pertains, or with which it is most nearly connected, to make and use the same and shall set forth the best mode contemplated by the inventor of carrying out his invention.

23. Claims 10 and 27-32 rejected under 35 U.S.C. 112, first paragraph, as failing to comply with the enablement requirement. The claim(s) contains subject matter, which was not described in the specification in such a way as to enable one skilled in the art to which it pertains, or with which it is most nearly connected, to make and/or use the invention. The details, appearance and shape of all the surface profile features (V-shaped and slot-like) of the design are not clearly disclosed in the specification. Also in claim 10, the details, appearance and shape of all the mullion (for example: tee shape) of the design are not clearly disclosed in the specification.

Claim 31 A large area display comprising: a first structural plate; a first and second tile connectable to said plate, said tiles including image generating pixels; and mullion to fit over the gaps between said first and second tiles.

Claim 32, The display of claim 31 wherein said mullions are tee shaped including a downwardly extending prong that extends between said tiles, said prong being substantially transparent.

***Conclusion***

**THIS ACTION IS MADE FINAL.** Applicant is reminded of the extension of time policy as set forth in 37 CFR 1.136(a).

A shortened statutory period for reply to this final action is set to expire **THREE MONTHS** from the mailing date of this action. In the event a first reply is filed within **TWO MONTHS** of the mailing date of this final action and the advisory action is not mailed until after the end of the **THREE-MONTH** shortened statutory period, then the shortened statutory period will expire on the date the advisory action is mailed, and any extension fee pursuant to 37 CFR 1.136(a) will be calculated from the mailing date of the advisory action. In no event, however, will the statutory period for reply expire later than **SIX MONTHS** from the mailing date of this final action.


Any inquiry concerning this communication or earlier communications from the examiner should be directed to Javid A Amini whose telephone number is 703-605-4248. The examiner can normally be reached on 8-4pm.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Michael Razavi can be reached on 703-305-4713. The fax phone number for the organization where this application or proceeding is assigned is (703) 872-9306.

Any inquiry of a general nature or relating to the status of this application or proceeding should be directed to the receptionist whose telephone number is 703-306-0377.

Javid A Amini  
Examiner  
Art Unit 2672

Javid Amini

  
JEFFERY BRIEN  
PRIMARY EXAMINER